UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

Page 1 of 5

PATENT NO. : 7,063,473 B2 APPLICATION NO. : 10/823697

DATED : June 20, 2006

INVENTOR(S) : Tetsuyo Ohashi et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE, AT ITEM (56):

Foreign Patent Documents:

"2002067292 A" should read --2002-067292 A--;

"09327950 A" should read --09-327950 A--; and

"11208923 A" should read --11-208923 A--.

ON THE TITLE PAGE, AT ITEM (56):

Other Publications, "Japenese" should read -- Japanese--.

SHEET NO. 20 of 23:

Figure 20A, As shown in attached "SNTANDBY" should read -- STANDBY--.

COLUMN 1:

Line 48, "through put" should read --throughput--.

COLUMN 2:

Line 25, "fist" should read --first--.

COLUMN 3:

Line 14, "view" should read --views--.

Line 15, "flap" should read -- flaps--.

Line 38, "view" should read --views--.

COLUMN 4:

Line 40, "an" should read --a--.

COLUMN 6:

Line 64, "he" should read --the--.

COLUMN 9:

Line 51, "fist" should read --first--.

COLUMN 10:

Line 20, "an" should read --a--.

Line 21, "an" should read --a--.

COLUMN 16:

Line 36, "n" should read --in--.

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO.

: 7,063,473 B2

Page 2 of 5

APPLICATION NO.: 10/823697

: June 20, 2006

INVENTOR(S)

: Tetsuyo Ohashi et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 17:

Line 65, "position the" should read --position \rightarrow the--.

COLUMN 18:

Line 53, "get" should read --gets--.

Line 66, "whey" should read --why--.

COLUMN 19:

Line 50, "made" should read --made by--.

Line 52, "dray" should read --day--.

Line 58, "die" should read --dye--.

Line 59, "die" should read --dye--.

Line 61, "dray" should read --day--.

COLUMN 20:

Line 20, "from" should read --from which--.

Line 36, "larger" should read --larger than--.

COLUMN 22:

Line 13, "though" should read --through--.

COLUMN 24:

Line 4, "view" should read --views--.

Line 11, "leaded" should read --led--.

Line 40, "tow" should read --two--.

COLUMN 25:

Line 34, "bear" should read -- gear--.

COLUMN 27:

Line 14, "top" should read --stop--.

Line 63, "am" should read --arm--.

COLUMN 29:

Line 30, "font" should read --front--.

COLUMN 32:

Line 23, "vies" should read --views--.

Line 66, "whey" should read --why--.

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO.

: 7,063,473 B2

Page 3 of 5

APPLICATION NO.: 10/823697

DATED

: June 20, 2006

INVENTOR(S)

: Tetsuyo Ohashi et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 33:

Line 59, "LFR motor 26" should read -- LF motor 26--.

COLUMN 34:

Line 55, "is" should be deleted.

Line 58, "describe" should read --described--.

Line 62, "release" should read --released--.

Line 65, "is to swing" should read --swings--.

COLUMN 35:

Line 9, "is to swing" should read --swings--.

Line 45, "do" should read --does--.

COLUMN 36:

Line 35, "blow" should read --below--.

Line 51, "lime" should read --time--.

COLUMN 37:

Line 61, "foresaid" should read -- aforesaid -- .

COLUMN 38:

Line 23, "fist" should read --first--.

Line 29, "fist" should read --first--.

Line 39, "above-describe" should read --above-described--.

COLUMN 39:

Line 11, "link" should read --ink--.

COLUMN 40:

Line 27, "second" should read --third--.

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 7,063,473 B2

Page 4 of 5

APPLICATION NO.: 10/823697

DATED

: June 20, 2006

INVENTOR(S)

: Tetsuyo Ohashi et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 42:

Line 16, "from" should read --for--.

Signed and Sealed this

Twelfth Day of June, 2007

JON W. DUDAS Director of the United States Patent and Trademark Office U.S. Patent

Jun. 20, 2006

Sheet 20 of 23

7,063,473 B2

